



LOOSE LICK | CATTLE

Hylick Grower is a range of loose licks formulated for grazing cattle that:

- ✓ greatly assists in maintaining body weight and correcting vitamin and mineral deficiency in stock
- ✓ contains Rumensin® to improve feed efficiency
- ✓ contains bypass proteins & urea that encourages grazing & better utilisation of dry feed

Directions of Use: Feed in a well drained trough which is protected from the weather

Average Consumption Rate: 100 – 500 grams / head / day

TYPICAL ANALYSIS PER KG

Product	0%	4%	8%	12%	16%	20%	
Total Protein (Min)	12	21	35	48	58	67	%
Crude Protein (Min)	12	9.5	10	12	11	4	%
Equivalent Crude Protein (Min)	0	11.5	25	36	47	63	%
Urea (Max)	0	4	8	12	16	20	%
Crude Fat (Min)	3	2	2	2	2	3	%
Crude Fibre (Max)	4	4	4	3	2	1	%
Salt (Max)	15	20	20	20	20	20	%
Calcium (Min)	100	110	110	110	110	90	g/kg
Magnesium (Min)	13	8	7	1	1	1	g/kg
Phosphorous (Min)	20	20	20	20	20	20	g/kg
Sulphur (Min)	10	10	20	25	25	25	g/kg
Cobalt (Min)	10	10	10	10	10	10	mg/kg
Copper (Min)	202	202	202	202	202	202	mg/kg
Iodine (Min)	5	5	5	5	5	5	mg/kg
Iron (Min)	53	53	42	33	37	25	mg/kg
Manganese (Min)	220	220	220	220	220	216	mg/kg
Selenium (Min)	5	5	5	5	5	5	mg/kg
Zinc (Min)	811	811	811	811	811	811	mg/kg
Vitamin A (Min)	52 000	52 000	52 000	52 000	52 000	52 000	IU/kg
Vitamin D (Min)	4 000	4 000	4 000	4 000	4 000	4 000	IU/kg
Vitamin E (Min)	120	120	120	120	120	120	mg/kg
Mj/kg	3	3	3	3	3	3	Mj/kg
Active Constituent (Monensin per kg)	300	300	300	300	300	300	mg

Please note: Livestock should be introduced to dry licks on urea levels under 10% so as to accustom the rumen to urea before feeding licks at higher urea levels such as 16% and 20%. Analysis & materials used are subject to availability of ingredients due to seasonal variations.

